

SPECIFICATION

FOR APPRONAL

Customer : _____

Product Name : Piezo Buzzer(Self-drive) _____

Model Name : VSI2725LPF11 _____

Drawing No. : VS20191012019 _____

Signature of Voise

Approved by	Checkde by	Issued by	Date



Address: No 96 Mogao Dongqian Lake Industrial Area Ningbo, China,
Tel: 0086-0574-87773030; Fax: 0086-0574-87471600 P.C. 315121
<http://www.nbvoise.com> Email: sales@nbvoise.com

Specification for Piezo Buzzer(Self-drive)		Page	2/5																																																								
Model No.: VSI2725LPF11		Revision No.	1.0																																																								
		Drawing No.	VS20191012019																																																								
Table of contents 1. Revision 2. Scope 3. General Characteristics 4. Electrical and Acoustic Characteristics. 5. Dimensions 6. Packing																																																											
1. Revision <table> <tr> <th>Rev.No.</th><th>Date</th><th>Page</th><th>Description of Revision</th></tr> <tr> <td>1.0</td><td>2019/10/12</td><td></td><td>Preliminary</td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> </table>				Rev.No.	Date	Page	Description of Revision	1.0	2019/10/12		Preliminary																																																
Rev.No.	Date	Page	Description of Revision																																																								
1.0	2019/10/12		Preliminary																																																								

Specification for Piezo Buzzer(Self-drive)		Page	3/5
Model No. : VSI2725LPF11		Revision No.	1.0
		Drawing No.	VS20191012019

2. Scope

This specification is applied to the piezo buzzer used for sounder in alarm systems,Please contact us when using this product for any other applications than described in the above.

3. General

3.1 Out-Diameter

:

30 mm

3.2 Height

:

25 mm

3.3 Weight

:

20 ±1g

3.4 Operating Temperature range:

-20~+60℃ without loss of function

3.5 Store Temperature range:

-30~+70℃ without loss of function

4. Electrical and Acoustic Characteristics.

Test condition : 15 ~ 35 ℃, 25% ~ 85% RH, 860~1060 mbar

No	Items	Specification
1	Rated Voltage	12V DC
2	Working Voltage	6-30 V DC
3	Max Rated Current	20mA/12VDC
4	Min Sound Preesure Level	92dB/12VDC/30cm
5	Resonant Frequency	2.8±0.3KHz
6	Tone Nature	Fast Pulse (1sound/ 1sec)
7	Housing Material	ABS
8	Color	Black

100dB

90

80

P

I

30mA

20

10

6

16

26

36VDC

